

# c-lambda: C FFI via mzc

Version 4.1.3

November 20, 2008

```
(require compiler/cffi)
```

The `compiler/cffi` module relies on a C compiler to statically construct an interface to C code through directives embedded in a Scheme program. The library implements a subset of Gambit-C's foreign-function interface [Feeley98].

The `scheme/foreign` library is a better interface for most tasks; see §“**FFI**: PLT Scheme Foreign Interface” for more information on `scheme/foreign`. See also §“**Inside**: PLT Scheme C API”, which describes PLT Scheme's C-level API for extending the run-time system.

The `compiler/cffi` library defines three forms: `c-lambda`, `c-declare`, and `c-include`. When interpreted directly or compiled to byte code, `c-lambda` produces a function that always raises `exn:fail`, and `c-declare` and `c-include` raise `exn:fail`. When compiled by `mzc --extension`, the forms provide access to C. Thus, `compiler/cffi` is normally required by a module to be compiled via `mzc`. In addition, the `mzc` compiler implicitly imports `compiler/cffi` into the top-level environment for non-module compilation.

The `c-lambda` form creates a Scheme procedure whose body is implemented in C. Instead of declaring argument names, a `c-lambda` form declares argument types, as well as a return type. The implementation can be simply the name of a C function, as in the following definition of `fmod`:

```
(define fmod (c-lambda (double double) double "fmod"))
```

Alternatively, the implementation can be C code to serve as the body of a function, where the arguments are bound to `___arg1` (three underscores), etc., and the result is installed into `___result` (three underscores):

```
(define machine-string->float  
  (c-lambda (char-string) float  
    "___result = *(float *)___arg1;"))
```

The `c-lambda` form provides only limited conversions between C and Scheme data. For example, the following function does not reliably produce a string of four characters:

```
(define broken-machine-float->string
  (c-lambda (float) char-string
    "char b[5]; *(float *)b = __arg1; b[4] = 0; __result = b;"))
```

because the representation of a `float` can contain null bytes, which terminate the string. However, the full MzScheme API, which is described in §“**Inside:** PLT Scheme C API”, can be used in a function body:

```
(define machine-float->string
  (c-lambda (float) scheme-object
    "char b[4];"
    "*(float *)b = __arg1;"
    "__result = scheme_make_sized_byte_string(b, 4, 1);"))
```

The `c-declare` form declares arbitrary C code to appear after `"escheme.h"` or `"scheme.h"` is included, but before any other code in the compilation environment of the declaration. It is often used to declare C header file inclusions. For example, a proper definition of `fmod` needs the `"math.h"` header file:

```
(c-declare "#include <math.h>")
(define fmod (c-lambda (double double) double "fmod"))
```

The `c-declare` form can also be used to define helper C functions to be called through `c-lambda`.

The `c-include` form expands to a `c-declare` form using the content of a specified file. Use `(c-include file)` instead of `(c-declare "#include file")` when it’s easier to have MzScheme resolve the file path than to have the C compiler resolve it.

The `"plt/collects/mzscheme/examples"` directory in the PLT distribution contains additional examples.

When compiling for MzScheme3m (see §“**Inside:** PLT Scheme C API”), C code inserted by `c-lambda`, `c-declare`, and `c-include` will be transformed in the same way as `mzc`’s `--xform` mode (which may or may not be enough to make the code work correctly in MzScheme3m; see §“**Inside:** PLT Scheme C API” for more information).

---

```
(c-lambda (argument-type ...) return-type impl-string ...+)
```

Creates a Scheme procedure whose body is implemented in C. The procedure takes as many arguments as the supplied *argument-types*, and it returns one value. If *return-type* is `void`, the procedure’s result is always void. The *impl-string* is either the name of a C function (or macro) or the body of a C function.

If a single *impl-string* is provided, and if it is a string containing only alphanumeric characters and `_`, then the created Scheme procedure passes all of its arguments to the named C function (or macro) and returns the function's result. Each argument to the Scheme procedure is converted according to the corresponding *argument-type* (as described below) to produce an argument to the C function. Unless *return-type* is `void`, the C function's result is converted according to *return-type* for the Scheme procedure's result.

If more than *impl-string* is provided, or if it contains more than alphanumeric characters and `_`, then the concatenated *impl-strings* must contain C code to implement the function body. The converted arguments for the function will be in variables `__arg1`, `__arg2`, ... (with three underscores in each name) in the context where the *impl-strings* are placed for compilation. Unless *return-type* is `void`, the *impl-strings* code should assign a result to the variable `__result` (three underscores), which will be declared but not initialized. The *impl-strings* code should not return explicitly; control should always reach the end of the body. If the *impl-strings* code defines the pre-processor macro `__AT_END` (with three leading underscores), then the macro's value should be C code to execute after the value `__result` is converted to a Scheme result, but before the result is returned, all in the same block; defining `__AT_END` is primarily useful for deallocating a string in `__result` that has been copied by conversion. The *impl-strings* code will start on a new line at the beginning of a block in its compilation context, and `__AT_END` will be undefined after the code.

In addition to `__arg1`, etc., the variable `argc` is bound in *impl-strings* to the number of arguments supplied to the function, and `argv` is bound to a `Scheme_Object*` array of length `argc` containing the function arguments as Scheme values. The `argv` and `argc` variables are mainly useful for error reporting (e.g., with `scheme_wrong_type`).

Each *argument-type* must be one of the following, which are recognized symbolically:

- *bool*  
Scheme range: any value  
C type: `int`  
Scheme to C conversion: `#f` → 0, anything else → 1  
C to Scheme conversion: 0 → `#f`, anything else → `#t`
- *char*  
Scheme range: character  
C type: `char`  
Scheme to C conversion: character's Latin-1 value cast to signed byte  
C to Scheme conversion: Latin-1 value from unsigned cast mapped to character
- *unsigned-char*  
Scheme range: character  
C type: `unsigned char`  
Scheme to C conversion: character's Latin-1 value  
C to Scheme conversion: Latin-1 value mapped to character

- `signed-char`  
 Scheme range: character  
 C type: `signed char`  
 Scheme to C conversion: character's Latin-1 value cast to signed byte  
 C to Scheme conversion: Latin-1 value from unsigned cast mapped to character
- `int`  
 Scheme range: exact integer that fits into an `int`  
 C type: `int`  
 conversions: (obvious and precise)
- `unsigned-int`  
 Scheme range: exact integer that fits into an `unsigned int`  
 C type: `unsigned int`  
 conversions: (obvious and precise)
- `long`  
 Scheme range: exact integer that fits into a `long`  
 C type: `long`  
 conversions: (obvious and precise)
- `unsigned-long`  
 Scheme range: exact integer that fits into an `unsigned long`  
 C type: `unsigned long`  
 conversions: (obvious and precise)
- `short`  
 Scheme range: exact integer that fits into a `short`  
 C type: `short`  
 conversions: (obvious and precise)
- `unsigned-short`  
 Scheme range: exact integer that fits into an `unsigned short`  
 C type: `unsigned short`  
 conversions: (obvious and precise)
- `float`  
 Scheme range: real number  
 C type: `float`  
 Scheme to C conversion: number converted to inexact and cast to `float`  
 C to Scheme conversion: cast to `double` and encapsulated as an inexact number
- `double`  
 Scheme range: real number  
 C type: `double`  
 Scheme to C conversion: number converted to inexact  
 C to Scheme conversion: encapsulated as an inexact number

- `char-string`  
Scheme range: byte string or `#f`  
C type: `char*`  
Scheme to C conversion: string → contained byte-array pointer, `#f` → NULL  
C to Scheme conversion: NULL → `#f`, anything else → new byte string created by copying the string
- `nonnull-char-string`  
Scheme range: byte string  
C type: `char*`  
Scheme to C conversion: byte string's contained byte-array pointer  
C to Scheme conversion: new byte string created by copying the string
- `scheme-object`  
Scheme range: any value  
C type: `Scheme_Object*`  
Scheme to C conversion: no conversion  
C to Scheme conversion: no conversion
- `(pointer bstr)`  
Scheme range: an opaque c-pointer value, identified as type `bstr`, or `#f`  
C type: `bstr*`  
Scheme to C conversion: `#f` → NULL, c-pointer → contained pointer cast to `bstr*`  
C to Scheme conversion: NULL → `#f`, anything else → new c-pointer containing the pointer and identified as type `bstr`

The `return-type` must be `void` or one of the `arg-type` keywords.

---

`(c-declare code-string)`

Declares arbitrary C code to appear after "escheme.h" or "scheme.h" is included, but before any other code in the compilation environment of the declaration. A `c-declare` form can appear only at the top-level or within a module's top-level sequence.

The `code` code will appear on a new line in the file for C compilation. Multiple `c-include` declarations are concatenated (with newlines) in order to produce a sequence of declarations.

---

`(c-include path-spec)`

Expands to a use of `c-declare` with the content of `path-spec`. The `path-spec` has the same form as for `mzlib/include`'s `include`.

## **Bibliography**

[Feeley98] Marc Feeley, "Gambit-C, version 3.0." 1998.